

Tylenol, Motrin & Advil Dosing Chart

ACETAMINOPHEN (TYLENOL)

May be given every 4-6 hours for fever or pain

WEIGHT	DOSE	CHILD LIQUID (160mg/5ml)	MELTAWAY (80mg)	TABLET (325mg)
Below 9 lbs	40 mg	1.25 ml = ¼ tsp	x	x
9-11 lbs	60 mg	1.875 ml = ⅜ tsp	x	x
12-17 lbs	80 mg	2.5 ml = ½ tsp	1 tab	x
18-23 lbs	120 mg	3.75 ml = ¾ tsp	1½ tab	x
24-35 lbs	160 mg	5 ml = 1 tsp	2 tab	x
36-47 lbs	240 mg	7.5 ml = 1½ tsp	3 tab	x
48-59 lbs	320 mg	10 ml = 2 tsp	4 tab	1 tab
60-71 lbs	400 mg	12.5 ml = 2½ tsp	5 tab	1¼ tab
72-95 lbs	480 mg	15 ml = 3 tsp	6 tab	1½ tab
over 96 lbs	640 mg	20 ml = 4 tsp	8 tab	2 tab

IBUPROFEN (MOTRIN/ADVIL)

May be given every 6-8 hours for fever or pain
May ONLY be used for children over 6 months of age

WEIGHT	DOSE	INFANT LIQUID (50mg/1.25ml)	CHILD LIQUID (100mg/5ml)	CHEWABLE TABLET (100mg)	TABLET (200mg)
11-16 lbs	50 mg	1.25 ml = ¼ tsp	2.5 ml = ½ tsp	x	x
17-21 lbs	75 mg	1.875 ml = ⅜ tsp	3.75 ml = ¾ tsp	¾ tab	x
22-32 lbs	100 mg	2.5 ml = ½ tsp	5 ml = 1 tsp	1 tab	x
33-43 lbs	150 mg	3.75 ml = ¾ tsp	7.5 ml = 1½ tsp	1½ tab	x
44-65 lbs	200 mg	5 ml = 1 tsp	10 ml = 2 tsp	2 tab	1 tab
66-87 lbs	300 mg	x	15 ml = 3 tsp	3 tab	1½ tab
over 88 lbs	400 mg	x	20 ml = 4 tsp	4 tab	2 tab

